Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5766189").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 06:24
L2	1253096	clip or clamp or ligat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:26
L3	2421585	arms or legs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:27
L4	5422997	base or shoulder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:28
L5	7559260	wire or mandril or line or actuator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:28
L6	9101233	tip or end or terminat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:29
L7	4993378	stop or stopper or bulg\$4 or enlarg\$4 or bulbous or retain\$4 or anchor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:30
L8	6698372	hole or aperture or opening or bore	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:31

L9	263255	2 same 3	US-PGPUB;	OR	ON	2006/08/15 06:32
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L10	442949	2 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:32
L11	150952	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:32
L12	2983385	5 same 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:34
L13	3325064	6 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:34
L14	1883206	7 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:36
L15	1638708	12 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:40
L16	1664379	7 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:43

	06556		T			
L17	862361	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:44
L18	76325	11 and 14 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:45
L19	150167	2 with 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:46
L20	215338	2 with 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:46
L21	50283	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:46
L22	1671995	5 with 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/08/15 06:47
L23	602360	8 same 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:50
L24	12543	21 and 22 and 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:50

L25	6303540	tube or catheter or sheath or sleeve or	US-PGPUB;	OR	ON	2006/08/15 06:51
	0303310	shaft or tubular or cylindrical	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK.	ON	2000/00/13 00:31
L26	9106	24 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:52
L27	5876	26 and ((5 or 6 or 8) with (deform\$4 or stretch\$4 or enlarg\$4 or shrink\$4 or compress\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:56
L28	4296763	(deform\$4 or stretch\$4 or enlarg\$4 or shrink\$4 or compress\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:56
L29	591945	8 with 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:56
L30	2194883	(6 or 7) with 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 06:57
L31	46178	29 with (releas\$4 or implant\$4 or actuat\$4 or manipulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 07:00
L32	149981	(29 or 30) with (releas\$4 or implant\$4 or actuat\$4 or manipulat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 07:00

L33	1285	27 and 32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 08:10
L34	1798	(ligat\$4 or clip\$4 or clamp\$4) and (device or apparatus or instrument) and (tube or shaft or sleeve or sheath or tubular) and (wire or shaft or mandril or line or filament) and (clip or clamp or ligature) and (arms or legs) and ((base or shoulder or bridge or neck or spine) with (hole or aperture or opening or bore)) and ((tip or termina\$4 or end) with (bulg\$4 or enlarg\$4 or bulbous or bigger or stop\$4 or anchor\$4)) and ((deform\$4 or smaller or decreas\$4 or crush\$4 or compress\$4) with ((tip or end or termina\$4) or (hole or opening or bore or aperture))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 08:35
L35	686	((ligat\$4 or clip\$4 or clamp\$4) with (device or apparatus or instrument)) and (tube or shaft or sleeve or sheath or tubular) and (wire or shaft or mandril or line or filament) and (clip or clamp or ligature) and (arms or legs) and ((base or shoulder or bridge or neck or spine) with (hole or aperture or opening or bore)) and ((tip or termina\$4 or end) with (bulg\$4 or enlarg\$4 or bulbous or bigger or stop\$4 or anchor\$4)) and ((deform\$4 or smaller or decreas\$4 or crush\$4 or compress\$4) with ((tip or end or termina\$4) or (hole or opening or bore or aperture))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 08:36

	· · · · · · · · · · · · · · · · · · ·					
L36	255	((ligat\$4 or clip\$4 or clamp\$4) with (device or apparatus or instrument)) and (tube or shaft or sleeve or sheath or tubular) and (wire or shaft or mandril or line or filament) and ((clip or clamp or ligature) with (arms or legs)) and ((base or shoulder or bridge or neck or spine) with (hole or aperture or opening or bore)) and ((tip or termina\$4 or end) with (bulg\$4 or enlarg\$4 or bulbous or bigger or stop\$4 or anchor\$4)) and ((deform\$4 or smaller or decreas\$4 or crush\$4 or compress\$4) with ((tip or end or termina\$4) or (hole or opening or bore or aperture))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 08:54
L37	6	(("7011667") or ("7081121") or ("6923818")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 09:23
L38	1	34 and (clip with tightening with ring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 09:24
L39	1	34 and (clip with (tightening with ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/15 09:24
L40	1	34 and (clip with (tightening with ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 09:25
L41	130	(clip with (tightening with ring))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 09:25



Time: 08:37:05

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
muramatsu	junichi	Search

To go back use Back button on your browser toolbar.



Time: 08:37:05

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
kobayashi	tsukasa	Search

To go back use Back button on your browser toolbar.



Time: 08:37:05

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
suzuki	takayuki	Search

To go back use Back button on your browser toolbar.



Time: 08:37:05

Inventor Name Search

Enter the **first few letters** of the Inventor's Last Name. Additionally, enter the **first few letters** of the Inventor's First name.

Last Name	First Name	
yamomoto	tetsuya	Search

To go back use Back button on your browser toolbar.

. PALM INTRANET

Day: Tuesday Date: 8/15/2006

Time: 08:41:30

Inventor Name Search Result

Your Search was:

Last Name = YAMOMOTO

First Name = TETSUYA

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name

First Name

vamamoto

tetsuya

Search-

To go back use Back button on your browser toolbar.